

INDEX MAPS.

T. 10 N. R. 8 E. 2nd Mer.

	134		134		134		133		133		133	
136	6	157	5	152	4	148	3	144	2	141	1	132
	157		157		151		148		144		140	
136	7	156	8	151	9	147	10	144	11	140	12	132
	156		156		151		147		143		140	
136	18	155	17	150	16	147	15	143	14	139	13	132
	155		154		150		146		143		139	
135	19	154	20	150	21	146	22	142	23	139	24	131
	154		153		149		146		142		138	
135	30	153	29	149	28	145	27	142	26	138	25	131
	153		152		149		145		141		138	
135	31	152	32	148	33	145	34	141	35	137	36	131
	152		150		148		145		141		137	
	130		130		130		129		129		129	

T. 11 N. R. 8 E. 2nd Mer.

	165		164		164		164		163		163	
167	6	188	5	182	4	179	3	175	2	171	1	162
	188		187		182		178		174		171	
166	7	187	8	182	9	178	10	174	11	170	12	162
	187		186		181		178		174		170	
166	18	186	17	181	16	177	15	173	14	170	13	162
	185		185		181		177		173		169	
166	19	185	20	180	21	177	22	173	23	169	24	161
	185		184		180		176		172		169	
166	30	184	29	180	28	176	27	172	26	168	25	161
	184		183		179		176		172		168	
165	31	183	32	179	33	175	34	171	35	168	36	161
	160		160		159		159		159		159	

The figures on the lines refer to the page.

159
Township N. 11 North, Range N. 8 East 2^d Mer. Indiana
ch. 1/2 m.

South Boundary. var. 7th 30' E.
West On S. boundary of Sec. 36, N. 11 N. 12 E.
40.00 Set of Sec. post, from which
a Beech 24 in. dia. bray 131 E 4 lns. dist. of
a do. 8 " " " N 12 E 6 " "
50.00 a Branch 8 lns. wide Course N. E.
80.00 Set post Cor. to Sec. 35 of 36, from which
a Beech 20 in. dia. bray 120 N 23 lns. dist. of
a do. 20 " " " N 89 N 27 " "
Level land rich soil, timber Beech, Poplar,
Sugar &c. underg^d & spice &c.

West On S. boundary of Sec. 35
40.00 Set of Sec. post, from which
an Oak 18 in. dia. bray N 31 13 lns. dist. of
an Ash 24 " " " South 11 " "
80.00 Set post Cor. to Sec. 34 of 35, from which
a Beech 10 in. dia. bray N 18 E 4 lns. dist. of
a do. — " " " N 1 E 22 " "
Land &c. as above 2^d rate

West On S. boundary of Sec. 34
22.50 a Branch 12 lns. wide Course N. E.
23.00 an Ash 20 in. dia.
40.00 Set of Sec. post, from which
a Beech 24 in. dia. bray 125 E 8 lns. dist. of
a Sugar 8 " " " N 14 N 24 " "
52.50 a Creek 100 lns. wide Course South
80.00 Set post Cor. to Sec. 33 of 34, from which
a Beech 24 in. dia. bray N 17 E 8 lns. dist. of
a do. 15 " " " N 25 N 24 " "
Land timber &c. same as on the last mile

West On S. boundary of Sec. 33
40.00 Set of Sec. post (at corner) from which
a Beech 24 in. dia. bray 142 E — lns. dist. of

M. N. P. & E. 2^d Mer. Indiana

ch. l. l. m.

a Beech 18 in. dia. - bay N 50° W - l. m. dist.
 76.60 a Beech 20 " " " " " " " " " " " "
 80.00 let post Cor. to Sec. 32 of 33, from which
 a Beech 10 in. dia. - bay N 12° E - l. m. dist. of
 a do. 12 " " " " " " " " " " " "
 Land timber &c. Same as on the last mile

West On S. boundary of Sec. 32

14.50 a branch 10 l. m. wide course N.
 40.00 let q. Sec. post, from which
 a Beech 24 in. dia. - bay N 11° E 15 l. m. dist. of
 a Hickory 10 " " " " " " " " " " " "
 76.10 a Creek 60 l. m. wide Course South
 80.00 let post Cor. to Sec. 31 of 32, from which
 a Beech 24 in. dia. - bay N 13° E 5 l. m. dist. of
 a do. 10 " " " " " " " " " " " "
 Land timber &c. Same as on the last mile

West On S. boundary of Sec 31

36.59 a Beech 18 in. dia.
 40.00 let q. Sec. post, from which
 a Beech 18 in. dia. - bay S 7° E 25 l. m. dist. of
 a do. 4 " " " " " " " " " " " "
 46.71 a Poplar 36 " " " " " " " " " " " "
 56.50 a branch 20 l. m. wide Course S.
 63.50 a do. 4 " " " " " " " " " " " "
 66.62 intersected the N. boundary 112 l. m. N. of temp.
 post - let post Cor. to Township 10 of 11 North,
 Range 7 of 8 East, from which
 a Beech 30 in. dia. - bay N 23° W 24 l. m. dist. of
 a do. 15 " " " " " " " " " " " "
 Over land level 2^d rate, timber Beech, Poplar,
 Ash, Sugar, Oak &c. under 2^d rate Beech
 June 27th 1819

East Boundary. var. 7th W. E.

161

M. N. P. & E. 2nd Mer. Indiana

ch. 2. 1/4
 North On E. boundary of Sec. 36, M. N. P. & E.
 14.41 a Sugar 33 mi. dist.
 40.00 Let q^r. Sec. post, from which
 a Walnut 5 mi. dist. bearing N 76° W 20 lns. dist. of
 a Beech 6 " " " N 35° E 18 " "
 70.55 a Sugar 20 " "
 75.00 a Creek 40 lns. wide Course S. W.
 80.00 Let post Cor. to Sec. 25 of 36, from which
 a Beech 15 mi. dist. bearing N 78° W 8 lns. dist. of
 a Do. 12 " " " N 15° E 17 " "
 Level rich land timber Beech, Sugar, Walnut
 Blue Ash, Poplar, and dog, Spruce, Spruce, Spruce

North On E. boundary of Sec. 25
 15.00 a Poplar 72 mi. dist.
 40.00 Let q^r. Sec. post, from which
 an Elm 20 mi. dist. bearing N 15° E 12 lns. dist. of
 a Beech 18 " " " West 34 " "
 54.45 a Poplar 60 " "
 71.50 a Creek 75 lns. wide Course S. W.
 80.00 Let post Cor. to Sec. 24 of 25, from which
 a Beech 18 mi. dist. bearing S 54° W 16 lns. dist. of
 a Do. 12 " " " N 52° E 8 " "
 Land timber &c. same as on the last mile
 Note. One Chain W. of the line on the above
 Creek is a pretty good mill seat.

North On E. boundary of Sec. 24
 19.00 a Beech 4 mi. dist.
 27.50 an Ash 18 " "
 40.00 Let q^r. Sec. post, from which
 a Beech — mi. dist. bearing N 50° W 16 lns. dist. of
 an Ash 24 " " " N 44° W 8 " "
 72.26 an Elm 15 " "
 80.00 Let post Cor. to Sec. 13 of 24, from which
 a Beech 12 mi. dist. bearing S 64° W 5 lns. dist. of

162 M. N. R. & E. 2^d. Mer. Indiana
ch²th

a Beech 8 in. dia. bray N 40 E 10 lb. dist.
Level 2^d rate land, timber Beech, Poplar,
Sugar, Ash &c. undergth. Spruce, Ash & prairie

North On E. boundary of Sec. 13

16.30 a Beech 24 in. dia.

40.00 Let g^r. Sec. post, from which
an Elm 18 in. dia. bray N 47 W 18 lb. dist. of
a Beech 4 " " " N 81 E 14 " "

44.22 on Ash 30 " "

67.00 a Branch 4 lb. wide Course N. E.

80.00 Let post Cor. to Sec. 12 of 13, from which
a Beech 18 in. dia. bray N 79 W 14 lb. dist. of
a Do. 10 " " " N 71 E 36 " "
Sand timber &c. Sugar on on the last mile
June 20th. 1819

North On E. boundary of Sec. 12

5.50 a Branch 4 lb. wide Cr. E.

28.50 a Do. 5 " " " N E.

40.00 Let g^r. Sec. post, from which
a Sugar 10 in. dia. bray S 37 E 4 lb. dist. of
a Beech 10 " " " N 78 E 15 " "

48.00 a large Creek 250 lb. wide Course S. W.

60.00 a Hickory 18 in. dia.

80.00 Let post Cor. to Sec. 11 of 12, from which
a Beech 20 in. dia. bray N 21 W 28 lb. dist. of
a Do. 15 " " " East 38 " "
Level 1st. rate land, timber Hackberry, Buckeye,
&c. undergth. Spruce & prairie on the N. W. q^r.
of Sec. 7, M. N. R. & E. a most improvement on the
low grounds.

North On E. boundary of Sec. 1

7.50 a Creek 40 lb. wide Course E.

15.91 a Beech 24 in. dia.

Met. P & E. 2^d. Mer. Indiana 163

ch^lth
 24.00 a Branch 4th m. wide Course S. E.
 40.00 At gr. Sec. post, from which
 a Beech 24 m. dist. bray S 31 E 17th m. dist. of
 a do. 28 " " " S 22 E 40 " "
 49.00 a Branch 4th m. wide Course S. W.
 62.00 a do. 15 " " " S. W.
 77.00 At post Cor. to Township 11, 12 North, of
 Range 8 & 9 East, from which
 a Beech 10 m. dist. bray S 53 W 15th m. dist. of
 a do. 24 " " " N 67 E 18 " "
 Broken 2^d rate land, timber Beech, Poplar
 Ash &c. underg^d. Apr 4th c. June 20th. 1879

North Boundary. var. 7.00 E.
 Met On S. boundary of Sec. 36, T 12 N. R 8 E.
 2.00 a Branch 6th m. wide Cr. S. W.
 9.00 a Beech 24 m. dist.
 14.40 a Branch 6th m. wide Course S. E.
 28.90 a do. 20th m. " " S. E.
 40.00 At gr. Sec. post, from which
 a Buckeye 5 m. dist. bray N 9 E 8th m. dist. of
 a Beech 7 " " " S 9 W 32 " "
 53.11 a do. 12 " "
 80.00 At post Cor. to Sec. 35 & 36, T 12 N. R 8 E, from which
 a Beech 9 m. dist. bray S 52 E 8th m. dist. of
 a Sugar 9 " " " N 52 E 12 " "
 Level ground, timber Beech, Ash, Walnut, Poplar
 &c. underg^d. Apr 4th c. rich soil

Met On S. boundary of Sec. 35, T 12 N. R 8 E.
 10.16 a Beech 16 m. dist.
 40.00 At gr. Sec. post, from which
 a Blue Ash 20 m. dist. bray S 58 W 11th m. dist. of
 a Beech 10 " " " S 58 E 30 " "
 48.42 a Sugar 21 " "
 80.00 At post Cor. to Sec. 34 & 35, T 12 N. R 8 E, from which

Twp. N 8 E. 3^d Mer. Indiana

ch. 1st 1/2

a Beech 20 in. dia. bray N 69 E 12 1/2 m. dist. of
a do. 7 " " " S 69 W 33 " "
Gently rolling, timber Beech, Ash, Sugar, Elm
&c. underg^g. Spruce, swampy & Dogwood, rich soil

West On S. boundary of Sec. 34, Twp. N 8 E.

5.45 an Ash 15 in. dia.

6.05 a Creek 50 yds. wide Course S. W.

35.00 a Branch 4 " " " S. W.

40.00 Set of Sec. post, from which

a Beech 7 in. dia. bray S 38 W 18 1/2 m. dist. of

a do. 17 " " " N 50 E 34 " "

44.80 a Poplar 36 " "

80.00 Set post Cor. to Sec. 33 & 34, Twp. N 8 E, from which

a Beech 14 in. dia. bray S 50 W 16 1/2 m. dist. of

a do. 12 " " " N 32 E 28 " "

Over rolling land, timber, Beech, ash, Poplar
Sugar &c. underg^g. Spruce, Dogwood &c. Soil rich

West On S. boundary of Sec. 33, Twp. N 8 E

31.10 a Beech 14 in. dia.

40.00 Set of Sec. post, from which

a Beech 8 in. dia. bray S 57 W 10 1/2 m. dist. of

a do. 12 " " " N 65 E 18 " "

48.05 a R. Oak 30 " "

54.10 a Poplar 36 " "

80.00 Set post Cor. to Sec. 32 & 33, Twp. N 8 E, from which

an Ash 13 in. dia. bray S 72 E 12 1/2 m. dist. of

a Beech 12 " " " N 80 W 14 " "

Over level land, timber Beech, Ash, Poplar
&c. underg^g. Spruce, Dogwood, greenbrier, rich soil

West On S. boundary of Sec. 32, Twp. N 8 E.

12.70 a R. Oak 40 in. dia.

33.12 a Branch 8 yds. wide Course N. W.

40.00 Set of Sec. post, from which

T. St. R. E. J. Mr. Indiana

165

ch. 2. 1/2

- a Beech 9 mi. dist. from N 86° W 18 km. dist. of
- a do. 30 " " " N 86° E 33 " "
- 49.62 an Ash 15 " "
- 57.50 a Creek 50 km. wide Course S. W.
- 80.00 At post Cor. to Sec. 31, 32, T. 12 N. R. 8 E from which
- a Beech 12 mi. dist. from N 87° W 14 km. dist. of
- a do. 8 " " " N 67° E 2 " "
- Gently rolling, timber Beech, ash, Poplar &c
- underg^m. Spruce &c. Soil good

West On S. boundary of Sec. 31, T. 12 N. R. 8 E.

- 16.48 an Ash 15 mi. dist.
- 17.50 a Branch 5 km. wide Course S. W.
- 30.10 a Creek 100 km. " " S. W. *
- 40.00 At q. Sec. post. from which
- a Sugar 18 mi. dist. from N 60° E 18 km. dist. of
- a Beech 20 " " " N 33° W 23 " "
- 51.97 a do. 12 " "
- 74.82 intersected the Corner of T. 12 N. R. 8 E. Over level land, timber Beech,
- Poplar, Ash &c. underg^m. Spruce, Soil rich
- * on the S. E. q. of Sec. 31, T. 12 N. R. 8 E, a good mill seat.
- June 22nd 1879

West Boundary. var. 7° 15' E.

North On E. boundary of Sec. 36, T. 12 N. R. 7 E

- 20.79 a Beech 24 mi. dist.
- 40.00 At q. Sec. post. from which
- a Beech 10 mi. dist. from N 65° W 44 km. dist. of
- a do. 12 " " " N 83° E 21 " "
- 54.75 a Sugar 20 " "
- 80.00 At post Cor. to Sec. 25 of 36, T. 12 N. R. 7 E, from which
- a Beech 27 mi. dist. from N 20° E 10 km. dist. of
- a do. 28 " " " N 72° W 22 " "
- Level 2nd. rate land, timber Beech, ash &c.
- underg^m. Spruce

Mt. R8 E. 2^d Mer. Indiana

ch. by
North On E. boundary of Sec. 25, Mt. R7 E.

29.80 a Beech 15 m. dist.

40.00 Set of Sec. post, from which
a Beech 24 m. dist. by N 34 E 32 lms. dist. of
a Do. 8 " " " N 35 W 17 " "

49.10 a Do. 20 " "

80.00 Set post Cor. to Sec. 24 & 25, Mt. R7 E, from which
a W. Oak 40 m. dist. by N 65 W 3 lms. dist. of
a Beech 8 " " " N 65 E 52 " "
Land &c. same as on last mile

North On E. boundary of Sec. 24, Mt. R7 E

10.88 an Ash 20 m. dist.

40.00 Set of Sec. post, from which
a Hickory 24 m. dist. by N 38 E 17 lms. dist. of
a Br. Oak 23 " " " N 63 W 29 " "

62.00 a Branch 10 lms. wide Cr. S. W.

80.00 Set post Cor. to Sec. 13 & 24, Mt. R7 E, from which
a Beech 24 m. dist. by N 44 W 6 lms. dist. of
a Do. — " " " S 54 E 31 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, Mt. R7 E.

23.20 an Elm 30 m. dist.

40.00 Set of Sec. post, from which
a W. Oak 6 m. dist. by N 37 W 7 lms. dist. of
a Beech 12 " " " S 71 E 37 " "

46.12 a W. Oak 30 " "

78.05 a Beech 27 " "

80.00 Set post Cor. to Sec. 12 & 13, Mt. R7 E, from which
a Buckeye 8 m. dist. by N 15 W 3 lms. dist. of
a Do. 12 " " " N 45 E 23 " "
Good rich land, timber Beech, Oak, Poplar
&c. under Spruce &c.

North On E. boundary of Sec. 12, Mt. R7 E

167

T.M. R & E. 2^d Mer. Indiana

ch²ly
 32.48 a Hackberry 24 in. dist.
 36.60 Flat rock Creek 250 yds. wide E. S. W.
 40.00 At gr. Sec. post, from which
 a Red Bud 6 in. dist. - bear S 84 W 27 yds. dist. of
 a Sugar 15 " " " N 62 E 91 " "
 72.30 an Elm 20 " "
 80.00 At post Cor. to Sec. 1 & 12, T. 16 S. R 7 E, from which
 a Beech 24 in. dist. - bear S 19 E 32 yds. dist. of
 a do. 6 " " " S 27 E 21 "
 Rolling rich land, timber Beech, Hackberry, ash
 Hickory &c. undng^r. Spice, pawpaw &c

North On E. boundary of Sec. 1, T. 16 S. R 7 E.

11.88 an Elm 20 in. dist.
 40.00 At gr. Sec. post, from which
 a Beech 12 in. dist. - bear N 37 W 13 yds. dist. of
 a do. 20 " " " N 36 E 31 " "
 81.00 At post Cor. to Township 11 & 12 North,
 Range 7 & 8 East, from which
 a Beech 10 in. dist. - bear S 23 W 4 yds. dist. of
 a do. 8 " " " S 35 E 21 "
 Broken land, timber Beech, ash, Elm,
 Oak &c. undng^r. Spice &c. Soil good
 June 24th 1879

Surveyed By John McDonald
 Deputy Surveyor

Subdivision.

We Ferdinand Strickland and Richard C.
 Talbot, do solemnly swear in the presence
 of Almighty God, that in all measurements
 in which we shall be employed as chain-
 carriers in the Public surveys, we will fai-
 thfully and impartially execute the duties
 of the trust reposed in us to the best of
 our skill and abilities, so help us God.

M. N. P. & E. 2^d. Mer. Indiana

ch.

Ferdinand Strickland
Richard C. Talbott
Sworn and Subscribed to before me this
4th day of October 1819. 12. Kently, D. S.

North Between Secs. 35 & 36, M. N. P. & E.

4.15 a Creek 15 mi. dist.

40.00 At gr. Sec. post, from which
a Creek 12 mi. dist. by N 46° W 15 lns. dist. of
a Do. 30 " " " N 31° E 15 " "

80.00 At post Cor. to Secs. 25, 26, 35 & 36, from which
a Creek 10 mi. dist. by N 80° E 5 lns. dist. of
a Do. 6 " " " N 63° W 12 "
Land level 2^d rate, Ash, Beech, Poplar, W. Oak
&c. under 7th Price.

East On Land^m between Secs. 25 & 36

40.00 At temp. gr. Sec. post

80.81 Intersected the Co. boundary 146 lns. S. of post
Land rolling 2^d rate, Ash, Beech, Poplar &c.
under 7th Price, prairie &c.

West Corrected between Secs. 25 & 36

40.40 At gr. Sec. post at average dist. from which
a Sugar 18 mi. dist. by N 60° W 5 lns. dist. of
a Do. 7 " " " N 51° E 30 " "

80.81 to Sec. Corner.

North Between Secs. 25 & 26

7.50 a Creek 50 lns. wide Course N 76° W, rapid

24.90 a Creek 3 mi. dist.

40.00 At gr. Sec. post, from which
a Creek 15 mi. dist. by N 57° E 15 lns. dist. of
a Cherry 16 " " " N 23° W 5 " "

44.78 a Do. 10 " "

80.00 At post Cor. to Secs. 23, 24, 25 & 26, from which

169

T.M. N.P. & O. I. Mer. Indiana
ch. l. l. l.
 at Beech 10 in. dia. bray N 48 W 2 l. m. dist. of
 a Do. 30 " " " N 26 E 25 "
 Sand level 2nd Beech, Ash, Poplar, undg. th Spice

East On Rand^m. between Sec. 24 & 25
 40.00 Set temp. q. Sec. post
 80.50 Intersected Co. boundary 281 l. m. S. of post
 Sand, timber &c. same as on the last mile

West Corrected between Sec. 24 & 25
 40.25 Set q. Sec. post at average dist. from which
 a Beech 10 in. dia. bray N 13 E 12 l. m. dist. of
 an Ash 24 " " " N 37 W 6 " "
 80.50 to Sec. Corner

North Between Sec. 23 & 24
 5.40 a Beech 30 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. bray S 57 E 25 l. m. dist. of
 a Do. 12 " " " N 65 W 15 "
 78.10 a Do. 12 " "
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24 from which
 a Beech 24 in. dia. bray S 78 E 3 l. m. dist. of
 an Ash 6 " " " N 74 W 3 "
 Sand level 2nd rate, timber Ash, Beech, Poplar
 undg. th Spice. Oct. 4th. 1819

East On Rand^m. between Sec. 13 & 24
 40.00 Set temp. q. Sec. post
 81.20 Intersected Co. boundary 340 l. m. S. of post
 Sand, timber &c. same as on the last mile

West Corrected between Sec. 13 & 24
 40.60 Set q. Sec. post at average dist. from which
 an Ash 10 in. dia. bray N 82 E 7 l. m. dist. of
 an Oak 30 " " " S 22 W 31 " "

170 Mt. P. & E. 2nd Mer. Indiana
ch. 1st 1/2
81.20 to Sec. Corner.

North Return Sec. 13 of 14

22.45 a Beech 30 in. dia.

40.00 Set of Sec. post, from which
a Beech 28 in. dia. bray S 13 W 20 lns. dist. of
a Do. 30 " " " N 45 W 5 " "

46.70 a Do. 20 " "

68.50 a willow Swamp

78.00 Tree firma

80.00 Set post Cor. to Sec. 11, 12, 13 of 14, from which
a Sugar 11 in. dia. bray S 25 W 5 lns. dist. of
a Beech 7 " " " N 45 E 15 " "
Sand level 2nd rate, Beech, Ash, Poplar, and g. Spruce

East Out Land^m between Sec. 12 of 13

3.00 a willow Swamp

40.00 Set temp. of Sec. post

81.30 Intersected E. boundary 515 lns. S. of post
Sand rolling 2nd rate, timber, Beech, Ash, Poplar
under g. Spruce.

West Connected between Sec. 12 of 13

40.65 Set of Sec. post at average dist. from which
a Beech 30 in. dia. bray N 64 W 25 lns. dist. of
a Do. 6 " " " N 29 E 18 " "

81.30 to Sec. Corner

North Return Sec. 11 of 12

5.70 a Beech 10 in. dia.

34.50 a Spring—

40.00 Set of Sec. post, from which

a Beech 4 in. dia. bray N 7 E. 5 lns. dist. of

a Do. 18 " " " N 20 W 25 " "

57.80 a Do. 24 " "

80.00 a Creek 130 lns. wide C. S. 37 W. Current moderate

M. N. R & E. 2nd Mer. Indiana 171

ch. 2nd l. 1/2

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Buckeye 15 in. dia. bears N 16 E 6 l. 1/2 dist. of
a Box Elder 14 " " " N 58 E 30 " "
Sand timber &c. Same as on last mile

East On Rand 8th between Sec. 1 & 12

9.50 a Creek 120 l. 1/2 wide Course N. W. Current rapid

40.00 Set temp. q. Sec. post

82.00 Intersected E. boundary 475 l. 1/2 S. of post
Land level 1st rate, Beech, Oak, Poplar &c.
underg^g. & pice

West Corrected between Sec. 1 & 12

41.00 Set q. Sec. post at average dist. from which
a Beech 15 in. dia. bears N 16 E 20 l. 1/2 dist. of
a Do. 20 " " " N 31 W 10 " "

82.00 to Sec. Corner.

North Between Sec. 1 & 2

5.25 at Beech 30 in. dia.

40.00 Set q. Sec. post, from which
a Beech 32 in. dia. bears N 4 W 5 l. 1/2 dist. of
a Do. 7 " " " N 20 W 6 " "

51.33 a Hackberry 30 " "

83.50 Intersected N. boundary 260 l. 1/2 N. of post.
Set post Cor. to Sec. 1 & 2, from which
a Beech 10 in. dia. bears S 60 E 12 l. 1/2 dist. of
a Do. 24 " " " N 24 E 6 " "
Sand timber &c. Same as on the last mile

October 5th 1819

North Between Sec. 34 & 35.

8.00 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. bears S 35 E 5 l. 1/2 dist. of
a Do. 15 " " " N 45 W 15 " "

172 *St. Lawrence Co. 2^d Mer. Indiana*

ch² lth

- 42.75 a spring branch 2 lks. wide Course —
 63.10 a creek 70 " " " N. W. rapid
 80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
 a Beech 24 in. dia. bears S 58 N 15 lks. dist. &
 a Do. 12 " " " N 45 E 20 " "
 first half mile Hilley 2nd rate last half level first rate
 Beech Poplar Ash undergrowth Spice &c.
-

East On Random between Secs. 26 & 35

- 40.00 Set temp. q. Sec. post.
 80.20 Intersected the N. & S. line 15 lks. N. of post.
 Land rolling 2nd rate timber Beech Ash Sugar
 Poplar &c. undergrowth Spice
-

West Corrected between Secs. 26 & 35

- 40.10 Set q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears S 69 E 12 lks. dist. &
 a Do. 24 " " " N 10 E 15 " "
 80.20 to Sec. Corner.
-

North Between Secs. 26 & 27

- 13.45 at Beech 10 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 20 in. dia. bears N 27 E 5 lks. dist. &
 a Do. 24 " " " S 54 N 8 " "
 42.65 an Ash 12 " "
 80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
 a Beech 6 in. dia. bears S 31 E 20 lks. dist. &
 an Ash 12 " " " S 84 N 6 " "
 Land level 2nd rate, Beech, ash &c. undg. Spice.
-

East On Rand^m between Secs. 23 & 26

- 40.00 Set temp. q. Sec. post
 80.50 Intersected the N. & S. line 30 lks. N. of post
 Land timber &c. same as on the last mile
-

St. Mt. R & E. 2nd Mer. Indiana

173

ch² 1/2
 West Corrected between Sec. 23 & 26
 40.25 Set q. Sec. post at average dist. from which
 a Beech 10 mi. dist. by N 8 1/2 E 8 1/2
 a do. 6 " " " N 15 E 15 " "
 80.50 to Sec. Corner.

North Between Sec. 22 & 23

10.40 on Ash 10 mi. dist.
 18.00 enter a Swamp
 28.00 Firm land
 40.00 Set q. Sec. post, from which
 a Beech 6 mi. dist. by N 36 W 8 1/2 E 8 1/2
 a do. 8 " " " N 30 E 20 " "
 62.43 on Ash 12 " "
 64.50 enter a willow Swamp
 73.00 Firm land
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
 a Beech 4 mi. dist. by N 8 E 25 1/2 E 1/2
 a do. 14 " " " N 40 E 18 " "
 Land level rich Beech, Ash &c. underg^d.
 Spice, Pawpaw, Greenbrier &c.

East On Range, between Sec. 14 & 23

40.00 Set temp. q. Sec. post
 80.40 Intersected the S. of S. line 1 1/2 mi. S. of post
 Land level 2nd rate, timber Ash, Beech, Sugar,
 Poplar, underg^d Spice.

West Corrected between Sec. 14 & 23

40.20 Set q. Sec. post at average dist. from which
 a Beech 12 mi. dist. by N 26 W 5 1/2 E 1/2
 a do. 6 " " " N 47 E 15 " "
 80.40 to Sec. Corner. Oct. 6th, 1819

North Between Sec. 14 & 15

9.25 on Elm 10 mi. dist.

174 T.M. N. R. & E. 2nd Mer. Indiana

ch. l. l. h.
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. bears N 15 W 3 lks. dist. &
 a do. 12 " " " S 48 E 12 " "
 65.20 a Beech 10 " "
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 18 in. dia. bears S 51 W 10 lks. dist. &c.
 a do. 10 " " " N 58 E 25 " "
 Land level 2nd rate Beech Poplar Ash, undergth Spice &c.

East On Random between Sec. 11 & 14

40.00 Set temp. q. Sec. post.
 80.60 Intersected the N. & S. line, 69 lks. N. of post.
 Land timber &c. Same as on the last. mile

West Corrected between Sec. 11 & 14.

40.30 Set q. Sec. post. at average dist. from which
 a Beech 12 in. dia. bears N 43 E 8 lks. dist. &
 an Ash 14 " " " S 15 E 10 " "
 80.60 to Section Corner

North Between Sec. 10 & 11

11.86 Beech 10 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 8 in. dia. bears N 68 E 5 lks. dist. &
 an Ash 30 " " " S 26 W 35 " "
 42.65 a Beech 18 " "
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 7 in. dia. bears N 64 W 25 lks. dist. &
 a do. 11 " " " S 52 E 6 " "
 first half level 2nd rate 2nd half Hilby 3rd rate Beech
 Poplar Oak undergrowth Spice & Briar.

East On Random between Sec. 2 & 11.

4.50 a creek 1.50 lks. wide course N. 9. E. Current Moderate
 14.75 a do. 1.50 " " " S. 45 W. " "
 33.00 a Branch 2 " " " North

T^h N. R & E. 2^d Mer. Indiana 175

Chilly

- 40.00 Set temp. g. Sec. post.
 61.30 a creek 1.30 lbs. wide Course N. W. rapid
 79.00 a do. 1.30 " " " S 36 W.
 80.50 Intersected the N & S. line 70 lbs. North of post.
 Land Hilly 2^d rate Ash, Beech, Poplar & undergth Spice.

West Corrected between Sect. 2 & 11.

- 40.25 Set g. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears N 40 W. 6 lbs. dist. &
 a Ironwood 4 " " " S 45 E 5 " "
 80.50 to Section Corner

North Between Sect. 2 & 3. T^h N. R & E.

- 11.25 a Beech 24 in. dia.
 16.00 a creek 1.40 lbs. wide Course S. W. rapid
 20.75 a Branch 5 " " " S.
 40.00 Set g. Sec. post, from which
 a Beech 6 in. dia. bears S 27 W 8 lbs. dist. &
 a do. 10 " " " N 78 E 12 " "
 42.50 a do. 15 " " "
 82.40 Intersected the N. boundary 815 lbs. N. of post
 Set post Cor. to Sect. 2 & 3, from which
 a Beech 24 in. dia. bears S 34 E 12 lbs. dist. &
 a do. 20 " " " N 74 E 12 " "
 Land rolling 2^d rate, timber Beech, Ash,
 Poplar, undergth Spice & birch. Oct. 7th 1819

North Between Sect. 33 & 34

- 10.00 a Beech 24 in. dia.
 40.00 Set g. Sec. post, from which
 a Beech 10 in. dia. bears S 52 E 15 lbs. dist. &
 a do. 30 " " " N 10 E 6 " "
 57.70 a do. 12 " " "
 80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which
 a Beech 12 in. dia. bears S 4 E 6 lbs. dist. &
 a do. 28 " " " N 53 E 8 " "

T.M.N. R & E. 2^d. Mer. Indiana

ch^l. 6th Land level 1st rate, Ash, Beech, Poplar
undergth. Spice &c.

East On Rand^m. between Sect. 27 & 34

40.00 Let temp^y. gr. Sec. post

58.50 at Branch 6th. wide Course S.

80.90 Intersected the N & S. line 25th. S. of post.
Land level 4th rate, Ash, Beech, Poplar.
undergth. Spice & pawpaw. Oct. 9th 1819

West Corrected between Sect. 27 & 34

40.45 Let gr. Sec. post at average dist. from which
a Beech 34 in. dia. bray 16 W 4th. dist. of
an Ash 3 " " " N 7 E 27 " "

80.90 to Sec. Corner

North Between Sect. 27 & 28

4.70 at Beech 10 in. dia.

40.00 Let gr. Sec. post, from which
an Ash 24 in. dia. bray 150 N 7th. dist. of
a Beech 6 " " " S 88 E 10 " "

80.00 Let post Cor. to Sect. 21, 22, 27 & 28, from which
a Beech 12 in. dia. bray 133 N 5th. dist. of
a Do. 14 " " " N 39 E 25 " "

Land level 2^d rate Ash, Beech, Poplar &c
undergth. Spice

East On Rand^m. between Sect. 22 & 27

40.00 Let temp^y. gr. Sec. post

80.07 Intersected the N & S. line 6th. S. of post.
Land timber &c. same as on the last mile

West Corrected between Sect. 22 & 27

40.03 Let gr. Sec. post at average dist. from which
a Beech 10 in. dia. bray 119 E 6th. dist. of
a Do 30 " " " N 83 E 2 " "

177

Mt. P. & E. 2nd Mer. Indiana

Ch. P. M.
80.07 to Sec. Corner

North Between Sec. 21 & 22

16.53 an Ash 26 mi. dist.

40.00 Set q. Sec. post, from which
an Ash 6 mi. dist. - bear N 84 E 3 km. dist. of
a Beech 26 " " " S 68 W 25 " "

57.34 an Ash 10 " "

80.00 Set post, Cor. to Sec. 15, 16, 21 & 22, from which
an Ash 12 mi. dist. - bear N 87 E 5 km. dist. of
a Beech 3 " " " S 12 W 30 " "

Sand, timber &c. same as on the last mile

East On Road^m between Sec. 15 & 22

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S line 10 km. N. of post
Sand, timber &c. same as on the last mile

West Connected between Sec. 15 & 22

40.00 Set q. Sec. post at average dist. from which
a Beech 12 mi. dist. - bear N 27 E 20 km. dist. of
a Do. 15 " " " S 39 W 8 " "

80.00 to Sec. Corner.

North Between Sec. 15 & 16

16.75 a Beech 18 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 4 mi. dist. - bear S 39 W 3 km. dist. of
a Do. 30 " " " East 20 " "

62.84 a Do. 15 " "

80.00 Set post Corner to Sec. 9, 10, 15 & 16, from which
a Beech 15 mi. dist. - bear S 43 W 20 km. dist. of
a Do. 4 " " " N 21 W 22 " "

Sand, level 2nd rate Ash, Beech, Poplar &c.
underg^d. Spruce, prairie &c.

T.M. N. R & E. D^m. Mer. Ind.ch²lyEast On Rand^m. between 10 & 1540.00 Set tempy. q^r. Sec. post80.00 Intersected the N & S. line 50 l^y. N. of post. Sand level 2^d. rate, timber Ash, Beech, W. Oak, Poplar &c. Underg^d. Spice & Pawpaw Oct. 10th 1819

West Corrected between Sec. 10 & 15

40.00 Set q^r. Sec. post, from which
a Beech 40 in. dia^r. bray 148 W 5 l^y. dist^y
a do. 10 " " " 178 E 25 " "

80.00 to Sec. Corner

North Between Sec. 9 & 10

4.30 an Elm 10 in. dia^r.40.00 Set q^r. Sec. post, from which
a Beech 15 in. dia^r. bray 110 E 28 l^y. dist^y
an Ash 30 " " " 165 E 16 " "50.00 a Branch 4 l^y. wide Course N.W.51.70 a Beech 24 in. dia^r.59.00 a Creek 120 l^y. wide C. W. Current rapid80.00 Set post, Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 30 in. dia^r. bray 175 E 15 l^y. dist^y
a Buckeye 4 " " " 173 W 20 " "
Sand rolling 2^d. rate, Beech, Ash, Poplar
underg^d. Spice & PawpawEast On Rand^m. between Sec. 3 & 1020.00 a Creek 140 l^y. wide C. S. W. Current rapid40.00 Set tempy. q^r. Sec. post80.60 Intersected the N & S. line 88 l^y. N. of post
1st 1/2 mile level - last 1/2 hilly all rich, ash
Beech, Poplar & B. Walnut, undg^d. Spice

West Corrected between Sec. 3 & 10

40.30 Set q^r. Sec. post at average dist. from which

179
M. N. R. & E. 2^d Mer. Indiana
ch. l. l. h.

a Beech 12 in. dia. bray N 13° W 20 l. h. dist. of
a l. o. 15 " " " South 25 " "
80.60 to Sec. Corner.

North Between Sec. 3 & 4

19.05 a Beech 15 in. dia.

40.00 l. t. q. Sec. post, from which

a Beech 5 in. dia. bray S 26° W 4 l. h. dist. of
a l. o. 18 " " " N 72° W 10 " "

49.00 a Poplar 48 " "

81.40 Intersected the N. boundary 369 l. h. N. of post
l. t. post Cor. to Sec. 3 & 4, from which
an Ash 6 in. dia. bray S 83° E 8 l. h. dist. of
a Beech 5 " " " N 46° W 4 " "
Land level 1st rate, Beech, Ash, Poplar &c.
undng. Spice, Oct. 11th, 1819

North Between Sec. 32 & 33

2.60 a Beech 12 in. dia.

40.00 l. t. q. Sec. post, from which

a Beech 4 in. dia. bray S 12° W 10 l. h. dist. of
an Ash 34 " " " N 69° E 11 " "

60.65 a Beech 30 " "

64.80 a Creek 10 l. h. wide course W.

80.00 l. t. post Cor. to Sec. 28, 29, 32 & 33, from which
a Beech 15 in. dia. bray S 53° E 21 l. h. dist. of
a l. o. 8 " " " N 80° W 15 " "
Land timber &c. same as on the last mile

East On Rand^m. between Sec. 28 & 33

40.00 l. t. temp. q. Sec. post

79.56 Intersected the N. of S. line 4 l. h. N. of post
Land timber &c. same as on the last mile

West Connected between Sec. 28 & 33

39.78 l. t. q. Sec. post at average dist. from which

180

M. N. R. & E. 2nd Mer. Indiana

etc. etc.

a Cherry 4 in. diam. bray N 62 E 8 1/4 m. dist. of

a Beech 12 " " " S 84 W 13 " "

79.50 to Sec. Corner

North Between Sec. 28 & 29

17.90 a Beech 14 in. diam.

40.00 Set gr. Sec. post, from which

a Beech 7 in. diam. bray S 62 W 10 1/4 m. dist. of

a Do. 30 " " " N 47 E 12 " "

57.10 a Beech 12 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which

a Beech 20 in. diam. bray S 7 E 13 1/4 m. dist. of

an Ash 13 " " " N 7 E 25 " "

Sand timber &c. Same as on the last mile

East On Cand^m between Sec. 21 & 28

40.00 Set temp. gr. Sec. post

79.70 Intersected the old S. line 2 1/4 m. S. of post

Sand level 2nd rate, timber Ash, Beech, Poplar
underg^g. Spruce &c.

West Connected between Sec. 21 & 28

39.85 Set gr. Sec. post at average dist. from which

a Beech 12 in. diam. bray N 47 W 7 1/4 m. dist. of

a Do. 11 " " " N 61 E 12 " "

79.70 to Sec. Corner

North Between Sec. 20 & 21

5.60 a Beech 15 in. diam.

40.00 Set gr. Sec. post, from which

a Beech 6 in. diam. bray N 4 W 5 1/4 m. dist. of

a Do. 26 " " " N 11 W 12 " "

56.50 a Do. 20 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which

a Beech 12 in. diam. bray S 57 E 10 1/4 m. dist. of

a Do. 8 " " " N 7 W 25 " "

181

M. N. R & E. D. Mer. Indiana
chth Sand level 1st rate, Beech, Ash, Poplar
undergth. Spruce

East On Rand^m. between Sec. 16 & 21
40.00 Set temp^y. g^r. Sec. post
79.85 Intersected the st of S. line 7th S. of post
Sand level 2nd rate, Ash, Beech, Poplar &c.
undergth. Spruce & sparrow

West Corrected between Sec. 16 & 21
39.92 Set g^r. Sec. post at average dist. from which
a Beech 4 mi. dist. by N 18° W 3th dist. of
a Poplar 48 " " " N 56° W 12 " "
79.85 to Sec. Corner.

North Between Sec. 16 & 17
11.80 a Beech 18 mi. dist.
40.00 Set g^r. Sec. post, from which
a Beech 10 mi. dist. by N 46° W 5th dist. of
a water Beech 3 " " " N 50° E 18 " "
54.40 a Beech 24 " " "
80.00 Set post Cor to Sec. 8, 9, 16 & 17, from which
a Beech 10 mi. dist. by N 13° E 20th dist. of
a do. 12 " " " N 82° W 20 " "
Sand level 2nd rate, Ash, Beech, Poplar &c.
undergth. Spruce &c. Oct. 12th, 1819

East On Rand^m. between Sec. 9 & 16
5.30 a Branch 4th wide Course—
40.00 Set temp^y. g^r. Sec. post
79.94 Intersected the st of S. line at the post
Sand rolling 2nd rate, Ash, Beech, Poplar
undergth. Spruce &c

West Corrected between Sec. 9 & 16
39.97 Set g^r. Sec. post at average dist. from which

1837 Mt. P.E. 2nd Mer. Indiana
chth

at Beech 11 mi. dist. from N 13 E 8th dist. of
a Do. 12 " " " S 5 N 3 " "
79.94 to Sec. Corner.

North Between Sec. 8 & 9

18.10 an Ash 30 in. dia.

20.12 a Creek 10th wide Course N.

26.50 a Do. 160 " " " W. Current rapid

40.00 Set of Sec. post, from which
an Elm 10 in. dia. from N 43 W 35th dist. of
a H. Locust 36 " " " N 82 E 12 " "

53.03 a Beech 13 " "

69.10 a Branch 5th wide Course N.

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 3 in. dia. from N 70 W 4th dist. of
a Hickory 13 " " " N 70 E 12 " "
Sand rolling 1st rate, Beech, Poplar, Ash
under * Spruce &c.

East On Land between Sec. 4 & 9

14.10 a Branch 5th wide Course S.

18.60 a Do. 5 " " " N.

40.00 Set of Sec. post

79.70 Intersected the N & S line 12th N. of post
Sand level 2nd rate, Beech, Ash, Poplar
under * Spruce

West Connected between Sec. 4 & 9

39.85 Set of Sec. post at average dist. from which
an Elm 10 in. dia. from N 79 E 6th dist. of
a Water Beech 3 " " " S 57 N 5 " "

79.70 to Sec. Corner.

North Between Sec. 4 & 5

6.75 a W. Oak 48 in. dia.

40.00 Set of Sec. post, from which

183

T.M. R & E. 2^d Mer. Indiana

Ch^d. 1st

a Beech 5 in. dia. bray N 60 E 5th, dist. of
 a Do. 15 " " " S 56 W 25 " "
 43.25 a Do. 20 " "
 82.32 intersected N. boundary 446th N. of post
 Set post Cor. to Sec. 4 of 5, from which
 a Beech 10 in. dia. bray N 81 E 10th, dist. of
 a Do. 8 " " " N 2 E 40 " "
 Sand timber &c. Same as on the last mile
 October 13th 1819

North & Between Secs. 31 & 32

6.50 a Stream 11th wide Course E.
 25.00 a Do. 11 " " " W.
 26.20 a Beech 24 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bray N 46 W 20th, dist. of
 a Do. 10 " " " N 55 E 18 " "
 55.50 a Do. 10 " "
 71.20 a Stream 6th wide Course W.
 80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which
 a Beech 10 in. dia. bray N 15 E 19th, dist. of
 an Ash 24 " " " N 65 W 3 " "
 Sand level 2^d rate Ash, Beech &c. undy^d. Price

East On Land^m. between Secs. 29 & 32

40.00 Set of Sec. post temporarily
 59.00 a Hazel & willow Swamp
 62.00 leave the Swamp
 80.19 intersected the N. & S. line 23th, N. of post
 Sand timber &c. Same as on the last mile

West Connected between Secs. 29 & 32

40.09 Set of Sec. post at average dist. from which
 a Beech 8 in. dia. bray N 49 W 5th, dist. of
 a Do. 28 " " " N 85 E 40 " "
 80.19 to Sec. Corner.

184

M.N. R & E. D. Mer. Indiana

ch. 1st 1/2

West Between sections 30 & 31

6.02 a Beech 24 in. dia.

40.00 Set q. Sec. post, from which

a W. Oak 10 in. dia. bray S 79 W 12 in. dist. of

a Beech 7 " " " N 35 E 19 " "

56.55 a Do. 10 " "

67.36 Intersected W. boundary 23 in. S. of post
Set post Cor. to Sec. 30 & 31, from which

a Beech 30 in. dia. bray S 79 W 30 in. dist. of

a Do. 10 " " " N 79 W 12 " "

Sand level 2nd rate Beech, Ash, Poplar &c.
undergth Spice.

North Between Sec. 29 & 30

6.90 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which

a Beech 11 in. dia. bray N 65 W 8 in. dist. of

a Do. 6 " " " S 29 E 25 " "

51.40 a Do. 7 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which

a Hickory 14 in. dia. bray N 67 E 2 in. dist. of

an Ash 7 " " " N 13 E 8 " "

Sand level 2nd rate, timber, Ash, Beech, Poplar
&c. undergth Spice.

East Out Range, between Sec. 20 & 29

40.00 Set temp. q. Sec. post

79.80 Intersected the N of S. line 11 in. S. of post
Sand timber &c. same as on the last mile

West Corrected between Sec. 20 & 29

39.90 Set q. Sec. post at average dist. from which

a Beech 5 in. dia. bray N 11 W 4 in. dist. of

an Ash 40 " " " S 28 E 14 " "

79.80 to Sec. Corner.

Mt. P. & E. 2^d Mer. Indiana

185

ch²lly

West Between Secs. 19 & 30

25.18 a Sugar 15 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 18 mi. dist. by S 33 E 12 lly. dist. of
a do. 12 " " " N 84 W 13 " "

68.50 Intersected N. boundary at the post
Sand timber &c. same as on the last mile

North Between Secs. 19 & 20

4.45 a Beech 20 mi. dist.

40.00 Set q. Sec. post, from which
an Elm 10 mi. dist. by S 80 W 4 lly. dist. of
a do. 12 " " " S 84 E 5 " "

46.95 an Elm 30 " "

80.00 Set post Cor. to Secs. 17, 18, 19, 20, from which
a Beech 6 mi. dist. by S 17 E 20 lly. dist. of
a do. 7 " " " N 48 W 30 " "
Sand timber &c. same as on the last mile

East On Range between Secs. 17 & 20

40.00 Set temp. q. Sec. post

79.60 Intersected the N & S. line 60 lly. N. of post
Sand level 2^d rate, Beech, Poplar, Ash &c.
undergth Spruce & hemlock.

West Connected between Secs. 17 & 20

39.80 Set q. Sec. post at average dist. from which
a Beech 36 mi. dist. by S 44 E 25 lly. dist. of
a do. 24 " " " N 6 W 50 " "

79.60 to Sec. Corner Oct. 14th, 1879

West Between Secs. 18 & 19

9.70 a Beech 12 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 12 mi. dist. by S 75 E 12 lly. dist. of
a do. 10 " " " N 63 W 10 " "

T.M. N. P. & E. D. Mer. Indiana

ch²th

52.95 a Beech 30 in. dia.

68.45 Intersected N. boundary 4.5 th. S. of post
 Set post Cor. to Sect. 18 & 19, from which
 a Beech 31 in. dia. bran S 34 W 12 th. dist. of
 a Do. 5 " " " N 16 E 25 " "
 Land level 2^d rate, timber Ash, W. Oak
 Beech, Poplar &c. underg^g. Spice & sparrow

North Between Sect. 17 & 18

5.75 a Sugar 30 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 12 in. dia. bran N 60 W 8 th. dist. of
 a Dogwood 3 " " " N 60 E 4 " "

45.40 a Beech 8 " "

73.00 a Branch 4 th. wide Course N.

80.00 Set post Cor. to Sect. 7, 8, 17 & 18, from which
 a Beech 12 in. dia. bran N 68 E 10 th. dist. of
 a Do. 30 " " " N 58 W 40 " "
 Land rolling 2^d rate, Beech, Ash & Poplar
 underg^g Spice & sparrow

East On Rand^m. between Sect. 8 & 17

15.14 a Spring branch 3 th. wide E. N.

17.10 a Do. Do 3 " " " N.

40.00 Set temp^y. q^r. Sec. post

46.60 a Stream 7 th. wide Course N.

59.00 enter a Swamp

69.50 a Spring -

75.20 leave the Swamp

80.50 Intersected the N & S. line 20 th. N. of post
 Land hilly 2^d rate, Beech, Poplar &c. underg^g. Spice.

West Corrected between Sect. 8 & 17

40.25 Set q^r. Sec. post at average dist. from which
 a Beech 12 in. dia. bran N 87 E 19 th. dist. of
 a Do. 7 " " " N 58 W 22 " "

187

M. N. P. & E. 2^d Mer. Indiana

ch² 1/2
80.50 to Section Corner

West Between Sec. 7 & 18

5.50 a Beech 30 in. dia.
25.00 enter a Swamp
30.50 leave the Swamp
32.40 a Spring branch 1/2 m. wide Cr. S.
40.00 Set q. Sec. post, from which
a Buckeye 10 in. dia. bray N 68 E 4 m. dist. of
a Hickory 6 " " " S 77 W 12 " "
44.40 a Beech 10 " "
68.95 Intersected N. boundary 5 3/4 m. S. of post
Set post Cor. to Sec. 7 & 18, from which
a Beech 30 in. dia. bray N 51 E 4 m. dist. of
a do. 24 " " " S 20 W 21 " "
Sand hilly 1st rate, Beech, Ash, Poplar, undg. Spice

North Between Sec. 7 & 8

11.86 a Beech 12 in. dia.
23.00 a Creek 1 3/5 m. wide Cr. S. W. Current moderate
29.00 a Spring branch 5 m. wide Cr. S.
29.40 a Beech 36 in. dia.
40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bray N 26 E 5 m. dist. of
an Ironwood 5 " " " S 67 W 18 " "
44.80 a Sugar 30 " "
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 10 in. dia. bray N 78 E 20 m. dist. of
a do. 18 " " " S 69 W 40 " "
Sand level rich, Beech, Ash, Poplar, undg. Spice

East On Rand^m between Sec. 5 & 8

40.00 Set temp. q. Sec. post
50.40 a s. branch corner S.
80.00 Intersected the N. & S. line 170 m. N. of post
Sand hilly 2nd rate, Beech, Ash, Poplar, W.

T.M.N. R & E. T. Mer. Indiana
 Oak, undgth Spruce &c.

West Corrected between Sec. 5 & 8
 40.30 Set of Sec. post, at average dist. from which
 a Beech 9 mi. dist. by N 20 W 6 lms. dist. of
 a do. 15 " " " S 62 W 12 " "
 80.60 to Sec. Corner.

North Between Sec. 5 & 6
 13.04 a Beech 15 mi. dist.
 40.00 Set of Sec. post, from which
 a Beech 30 mi. dist. by N 61 E 7 lms. dist. of
 a do. 20 " " " S 88 W 28 " "
 43.75 a Beech 30 " "
 58.50 a Creek 20 lms. wide Course S.W. Current rapid
 81.30 Intersected the N. boundary 440 lms. N. of post
 Set post Cor. to Sec. 5 & 6, from which
 a Beech 7 mi. dist. by N 25 E 6 lms. dist. of
 a do. 6 " " " S 13 W 18 " "
 Land level 2nd rate, timber Beech, Ash,
 Poplar, Sugar &c. undgth Spruce. Oct. 15. 1819

West Between Sec. 6 & 7
 3.05 a Beech 10 mi. dist.
 31.70 a Creek 75 lms. wide Course S.W. rapid
 40.00 Set of Sec. post, from which
 a Beech 11 mi. dist. by N 37 E 10 lms. dist. of
 a do. 4 " " " N 21 W 15 " "
 48.02 a Beech 40 " "
 68.87 Intersected W. boundary 79 lms. N. of post
 Set post Cor. to Sec. 6 & 7, from which
 a Hickory 12 mi. dist. by N 34 W 2 lms. dist. of
 a Hickory 7 " " " N 47 E 28 " "
 Land level 2nd rate, Beech, Ash, Poplar, undgth Spruce
 Oct. 16. 1819
 Surveyed By Basil Bently, H.S.

I Certify that the foregoing transcript of field
 Notes of Township No. 11 N., Range No. 8 East
 2nd Mer. Indiana, has been compared with
 the Original Notes in this Office, and found to
 be Correct.

Surveyor General's Office
 Cincinnati, Sept. 30, 1842.

William Johnston
 Asst. Genl.